

CS'E

## 無線網路多媒體系統 Wireless Multimedia System




Dr. Eric Hsiaokuang Wu  
hsiao@csie.ncu.edu.tw  
<http://wmlab.csie.ncu.edu.tw/course/wms>  
2008 Fall

Wireless & Multimedia Network Laboratory™

CS'E

## First Week Agenda

- ◆ Course Preview
- ◆ Wireless Multimedia/Mobile Computing / Pervasive Computing
- ◆ Wireless Mobile Communications
- ◆ System Review and Fundamental Problems
- ◆ Next Week



Wireless & Multimedia Network Laboratory™


CS'E

## Course Contents

- ◆ Fundamental Wireless Technology
  - Propagation Model
  - Wireless Medium Access
  - Transport Solutions
  - Ad hoc/Mesh Wireless System
  - Cellular System
  - Middleware Systems
  - Multimedia System
- ◆ Advanced Wireless Technology
  - Multicasting
  - Heterogeneous System
  - Routing Algorithms/Mesh Network
  - QoS/ Reliable Transmissions





Wireless & Multimedia Network Laboratory™



CS'E

## Roaming Across a variety of heterogeneous network and service environments

Wireless & Multimedia Network Laboratory™



CS'E



## WiMAX Nomadic and Portable

Ref: Margaret LaBrecque, "Enabling Deployments through Standards and Certification," WiMax, 2003

Wireless & Multimedia Network Laboratory™



### WiMAX 802.16


Wireless & Multimedia Network Laboratory™

### Growth in traffic in different access system and voice and data services

Wireless & Multimedia Network Laboratory™



### Forecast number of subscribers



Wireless & Multimedia Network Laboratory™

### Frequency Hopping Spread Spectrum

- Transmitted signal is spread over a wide range of frequencies. (i.e. 2.400-2.485 GHz)
- Transmission usually hop 35 times per second.

Wireless & Multimedia Network Laboratory™

### Direct Sequence Spread Spectrum


To transmit a 0 the station use a unique "chip sequence":

1 0 1 1 0

To transmit a 1 the station use the one's complement of its chip sequence:


0 1 0 0 1

Therefore if data is 1010 it will transmit:















Wireless & Multimedia Network Laboratory™

### Narrowband vs. Wideband




Wireless & Multimedia Network Laboratory™





### Adaptive Applications



Varied type of service


Video

Audio

Graph

Text

---




Adaptive application coding

High
.....
Quality
.....
Low


Wireless & Multimedia Network Laboratory™

### Situation-Aware Wireless Networks


Changes in propagation environment



Changes in the network




Traffic density



Varying traffic intensity


Various services



■ Figure 4. Situation awareness functionality.

Wireless & Multimedia Network Laboratory™


### Network Mobility Management




■ Figure 1. A mobile network in a BEG system.

Wireless & Multimedia Network Laboratory™

### IEEE 802.11 WLAN



Ad hoc mode



Infrastructure mode






Fig. 1. A is sending a packet to B when C should decide whether to transmit to D.



Wireless & Multimedia Network Laboratory™


### Quiz 0: WLAN Performance Anomaly Problem



nominal rate (Mbps)		throughput (Mbps)	
A	B	A	B
11	11	3.09	3.36
<b>1</b>	<b>11</b>	<b>0.73</b>	<b>0.76</b>

Wireless & Multimedia Network Laboratory™

### Fairness for upstream and downstream



Wireless & Multimedia Network Laboratory™

## Expectation of the Class



- ◆ Basic Understanding of PCS world
- ◆ Being able to do the wireless research
- ◆ Developing the capability to invent the key wireless applications

Wireless & Multimedia Network Laboratory™



## Course Process



- ◆ Paper reading and your presentations
- ◆ Wireless Multimedia Applications Exercises

Wireless & Multimedia Network Laboratory™



## Mobile Computing



Wireless & Multimedia Network Laboratory™



## Mobile phone today = multipurpose terminal for ...



Wireless & Multimedia Network Laboratory™



## Reading list for This Lecture




- ◆ Required Reading:
  - (Cfox95) D. Cox, "Wireless Personal Communications: What is it?," IEEE Personal Communication Magazine, (April 1995) pp.20-35
  - (S.2001) M. Satyanarayan, "Pervasive Computing: Vision and Challenges", IEEE Personal Communication Magazine, (August 2001), pp.10-17
  - (Bi2001) Qi Bi, George I. Zysman, and Hank Menkes, "Wireless Mobile Communications at the Start of the 21 Century", IEEE Communication Magazine (January 2001), pp. 110-116
- ◆ Further Reading
  - (Bolcskei2001) H. Bolcskei, A. J. Paulraj, K. V. S. Hari, and R. U. Nabar, "Fixed Broadband Wireless Access: State of the Art, Challenges, and Future Directions", IEEE Communication Magazine

Wireless & Multimedia Network Laboratory™



## Mobile Computing



Wireless & Multimedia Network Laboratory™



## Mobile Computing

CS'E

- ◆ information processing in general
  - not just communication or just computing, but both
- ◆ Any medium or combination of medium
  - process not just telephone voice or just data, but multimedia
- ◆ Mobility
  - components of the systems may be
    - ◆ moving, tether-less (wireless), portable
  - uses of the system may be moving

Wireless & Multimedia Network Laboratory™



## Why should we care ?

CS'E

- ◆ Reason # 1 : \$\$\$ & jobs
- ◆ Explosive growth of wireless voice, paging, and data services
  - 35-60 percent annual growth in the past decade
  - mobile phones in US will be 42 % of fixed -line phones by 2000
  - 700 million mobile users at the end of 2000
  - One billion expected by 2003
- ◆ Big demand for portable communicators and computers
  - 2 M portable computer in 1988 to 74.1 M units in 1998

Wireless & Multimedia Network Laboratory™



## Is there a more "academic" reason ?

CS'E

- ◆ Reason # 2: a next step in the evolution of information system
- ◆ Evolution from personal computing to networked computing to mobile computing
- ◆ Evolution from wired telephony to cordless telephony to mobile cellular telephony
- ◆ At the same time, unification of computing and communication



Wireless & Multimedia Network Laboratory™



## Mobile Multimedia Systems

CS'E

- ◆ Ubiquitous information access (everybody else)
  - e.g. wireless computing, mobile computing, nomadic computing
  - information distributed everywhere by "the net"
  - users carry (wireless) terminals to access the information services
  - terminal is the universal service access device
  - terminals adapt to location and services
  - Knowledge-based society
- ◆ Flexible Users Choices
  - In terms of access, service, content
  - Any where, anytime, any terminal equipments
- ◆ Wearable Computing terminal / Mobile Broadband services (MBS)



Wireless & Multimedia Network Laboratory™



## Pervasive Computing

CS'E

- ◆ Technology that disappears
  - The most profound technologies are those that disappear. They weave themselves into the fabric of everyday life until they are indistinguishable from it".
- ◆ Ubiquitous (Invisible) Computing (Xerox PARC)
  - Cheap computers of different scale and types embedded everywhere
  - Potentially 100s of computers per room that disappear into background (e.g. active badge, tabs, pads, live boards..)
  - User centric, not terminal centric
  - Computers swapped and shared among users
- ◆ Effective Use of Smart Spaces
- ◆ Invisibility
- ◆ Localized Scalability
- ◆ Masking Uneven Conditioning



Wireless & Multimedia Network Laboratory™



## Support for Pervasive Computing

CS'E

- ◆ User Intent
- ◆ Cyber Foraging
- ◆ Adaptation Strategy
- ◆ High-Level Energy Management
- ◆ Balancing Pro-activity and Transparency
- ◆ Privacy and Trust
- ◆ Impact on Layering



Wireless & Multimedia Network Laboratory™



## Pervasive Computing

CS E

**Remote communication**  
 protocol layering, RPC, end-to-end apps...  
 Fault tolerance  
 ACD, two-phase commit, nested transactions...

**High availability**  
 replication, backup, recovery...  
 Remote information access  
 etc. file systems, dist. databases, caching...

**Distributed security**  
 integrity, mutual authentication...

**Mobile networking**  
 Mobile IP, ad hoc networks, wireless TCP flow...  
 Mobile information access  
 discontinuous operation, speed consistency...

**Adaptive applications**  
 proven, reasoning, spatio-temporal...  
 Energy-aware systems  
 goal-directed adaptation, task scheduling...

**Location sensitivity**  
 GPS, location triangulation, context awareness...

**Smart spaces**  
 instability  
 localized scalability  
 uneven conditioning

**Distributed systems**   **Mobile computing**   **Pervasive computing**

This figure shows how research problems in pervasive computing relate to those in mobile computing and distributed systems. Nine problems are encountered as one moves from left to right in this figure. In addition, the solution of many previously encountered problems becomes more complex. As the modulation symbols suggest, this increase in complexity is multiplicative rather than additive. — It is very much more difficult to design and implement a pervasive computing system than a simple distributed system of comparable robustness and reliability. Note that this figure describes logical relationships, not temporal ones. Although the evolution of research effort over time has largely followed this picture, there have been cases where research effort on some aspect of pervasive computing began relatively early. For example, work on smart spaces began in the early 1990s and proceeded mainly independently of work in mobile computing.

■ Figure 1. Taxonomy of computer systems research problems in pervasive computing.

Wireless & Multimedia Network Laboratory™

## Aura Client

CS E

**Prim**  
 Task support, user intent, high-level proactivity

App 1   App 2   App 3   ...

**Other Aura runtime support**   **Spectra**  
 Remote execution

**Coda**   **Odyssey/Chrome**  
 Nomadic file access   Resource monitoring, adaptation

**Linux kernel**

**Intelligent networking**  
 Network weather monitoring, network proactivity

This figure shows the components of an Aura client and their logical relationships. The text in italics indicates the role played by each component. Coda and Odyssey were created prior to Aura, but are being modified substantially to meet the demands of pervasive computing. In the case of Odyssey, these changes are sufficiently extensive that they will result in Chrome, a replacement. Other components, such as Prim and Spectra, are being created specifically for use in Aura. Additional components are likely to be added over time since Aura is relatively early in its design at the time of this writing. Server and infrastructure support for Aura are not shown here.

■ Figure 2. The structure of an Aura client.

Wireless & Multimedia Network Laboratory™

## Wireless Communications

CS E

Mobile Communications  
 Fixed Broadband Wireless Communications


Wireless & Multimedia Network Laboratory™

## Evolution of Mobile Wireless Systems

CS E

- ◆ **First Generation : Analog – Voice**
  - Analog modulation
  - Cellular phone (AMPS) with manual roaming
  - Cordless phones
  - Packet radio networks
- ◆ **Second Generation : Digital - Voice & Data**
  - WAP (wireless application protocol)
  - 2.5 G GPRS
  - Wireless data LANs (802.11), MANs (Metricom), WANs (CDPD, ARDIS, RAM)
- ◆ **Third Generation: Digital – Multimedia**
  - Unified digital wireless access anytime, anywhere
  - Voice, data, images, video, music, sensor etc.
- ◆ **4G- Life after Third-Generation Mobile Communications**

Wireless & Multimedia Network Laboratory™









## Wireless Personal Communications







CS E

- ◆ **What is it?**
  - Cellular telephone
  - Cordless telephone
  - Paging systems
  - Wide area data networks
  - Local area data networks
- ◆ **Many ways to segment PCS**
  - Applications
  - Extent of coverage
  - Degree of mobility (speed, area)
  - Circuit switched voice vs. packet-switched data
  - Mode of communication (messaging, two-way real time, paging, agents)
  - User location (indoor vs. outdoor, train, airplane)
- ◆ **Common ingredients in all PCS activity**
  - Desire for mobility in communications
  - Desire to be free from tethers

Wireless & Multimedia Network Laboratory™







**CS/E**

\*Provisional classification names used here

Wireless & Multimedia Network Laboratory™

Wireless Multimedia

**CS/E**

## WiMAX Nomadic and Portable

Laptop Connected Through 802.16  
**SEEKS BEST CONNECTION**  
2 to 3 Kilometers Away

Ref: Margaret LaBrecque, "Enabling Deployments through Standards and Certification," WiMax, 2003

Wireless & Multimedia Network Laboratory™

19

**CS/E**

# AIRreach™ BROADBAND

**National Central University  
&  
Hughes Network Systems  
LMDS Demo Briefing**

November 1999

Wireless & Multimedia Network Laboratory™

Wireless Multimedia

**CS/E**

## Campus Network

Figure 1: Wireless Network Infrastructure

Wireless & Multimedia Network Laboratory™

Wireless Multimedia

**CS/E**

## LMDS NCU Test-bench

Wireless & Multimedia Network Laboratory™







Wireless Multimedia

**CS/E**

## Architecture of the Demo

Wireless & Multimedia Network Laboratory™

Wireless Multimedia



## Node Contention & Rate Adaptation





Fig. 7 Throughputs with node contentions.  
[Choi, ACM SIGMETRICS'05]

Wireless & Multimedia Network Laboratory™



## IP integration



Wireless & Multimedia Network Laboratory™




## WiMedia Solutions – Simple Usage



Wireless & Multimedia Network Laboratory™



## Capacity and Mobility




Wireless & Multimedia Network Laboratory™



## 地球村的建立









Wireless & Multimedia Network Laboratory™



Wireless & Multimedia Network Laboratory™







## Resource Sharing

CS E

- ◆ Reservation Approaches
  - Centralized Control
  - token (round robin)
- ◆ Collision Approaches
  - fight for resource
  - distributed control

Wireless & Multimedia Network Laboratory™

## Through A Centralized Control

CS E

- ◆ TDMA, FDMA, CDMA

Wireless & Multimedia Network Laboratory™

## MACA/PR

CS E

Wireless & Multimedia Network Laboratory™

## QoS and Multimedia Traffic Support

CS E

Wireless & Multimedia Network Laboratory™

## QoS and Multimedia Traffic Support

CS E

Wireless & Multimedia Network Laboratory™



## Internetworking, IP, Mobile

CS E




- ◆ Internetworking
  - roaming through different networks
  - supporting IP format
  - supporting IP portability

Wireless & Multimedia Network Laboratory™






- ### System Configurations
- ◆ Ad hoc ~ Multi-hop
    - Wireless LAN
    - Blue-tooth
    - Packet Radio
    - WAMIS
  - ◆ Cellular ~ GSM, WAP, GPRS, 3G
  - ◆ Satellite ~ LEO, GEO
- Wireless & Multimedia Network Laboratory™




## Typical Cellular Call

CS'E

- ◆ Initialization (find your base-station)
- ◆ Service Request
  - Location Level : Paging
  - Channel Assignments
- ◆ Handoff





Wireless & Multimedia Network Laboratory™


## Wireless Comm: Heterogeneity & Security

CS'E

- ◆ Heterogeneous networks




Wireless & Multimedia Network Laboratory™


## Limited & Variable Bandwidth

CS'E


- ◆ Low bandwidth compared to wired
- ◆ Highly variable bandwidth
- ◆ High latency

Wireless & Multimedia Network Laboratory™


## Wireless Communication

CS'E


- ◆ More difficult than wired communication
- ◆ Dis-connections

Wireless & Multimedia Network Laboratory™


## Mobility

CS'E


- ◆ Address migration
- ◆ Location-dependent information
- ◆ Migration locality

Wireless & Multimedia Network Laboratory™


## Portability

CS'E

- ◆ Light weight power
- ◆ Risks to data
- ◆ Small user interface
- ◆ Small storage capacity

Wireless & Multimedia Network Laboratory™


## Challenges in Mobile Multimedia Infor-<sup>CS/E</sup> System

- ◆ Portable end-points
- ◆ End-to-end Quality of Services
- ◆ Seamless operation under context (location) changes
- ◆ Context-aware operation
- ◆ Secure operation

Wireless & Multimedia Network Laboratory™



## Channel Propagation and Fading

CS/E




Figure 4. Received power as a function of distance: in a street (left), in a pavilion (middle), BER and handover (right).

Wireless & Multimedia Network Laboratory™

